5,000–Mile Maintenance Intervals 7,500–Mile Maintenance Intervals To determine the appropriate maintenance interval for your vehicle, see page 17.



| Replace engine oil and oil filter |       |
|-----------------------------------|-------|
| Rotate tires (except MR2 Spyder)  | Date: |

\* Specific services apply to specific operating conditions pages 18219 for details.



| DEALER SERVICE VERIFICATION | Date:    |
|-----------------------------|----------|
|                             | Mileage: |



Applies to Avalon, Camry , Camry Solara, Corolla and Sienna models with automatic transmission.

5,000-Mile Maintenance Intervals

To determine the appropriate

maintenance interval for your vehicle, see page 17. 7,500-Mile Maintenance Intervals 20,000 Miles or 16 Months 25,000 Miles or 20 Months Replace engine oil and oil filter Replace engine oil and oil filter Additional Maintenance Items for Special Operating Conditions:\* Additional Maintenance Items for Special Operating Conditions:\* Inspect the following: Inspect the following: \_\_\_ Ball joints and dust covers \_\_\_ Ball joints and dust covers \_\_\_ Engine air filter \_\_\_ Engine air filter \_\_\_ Brake linings/drums and brake pads/discs \_\_\_ Nuts and bolts on chassis and body \_\_\_ Brake linings/drums and brake pads/discs \_\_\_\_ Nuts and bolts on chassis and body \_\_\_ Drive shaft boots \_\_\_\_ Steering wheel, linkage and boots \_\_\_ Drive shaft boots \_\_\_\_ Steering wheel, linkage and boots Rotate tires (except MR2 Spyder) Rotate tires (except MR2 Spyder) DEALER SERVICE VERIFICATION Date: DEALER SERVICE VERIFICATION Date: \_\_\_\_\_ Mileage: Mileage:

| Replace engine oil and oil filter | DEALER SERVICE VERIFICATION | Date:    |
|-----------------------------------|-----------------------------|----------|
| Rotate tires (except MR2 Spyder)  |                             | Mileage: |

\* Specific services apply to specific operating conditions pages 18219 for details.

| 30,000 Miles or                            | 24 Months                         |
|--|-----------------------------------|
| 30,000 Miles or                            | 24 Months                         |
| Replace engine air filter                  | Replace engine oil and oil filter |
| Replace engine coolant                     | Rotate tires (except MR2 Spyder   |
| Replace air conditioning filter (Avalon)   |                                   |
| Inspect the following:                     |                                   |
| Ball joints and dust covers                | Drive shaft boots                 |
| Brake lines and hoses                      | Exhaust pipes and mountings       |
| Brake linings/drums and brake pads/discs   | Fuel tank cap gasket              |
| Differential oil                           | Steering gear box                 |
| Fuel lines and connections, fuel tank band | Steering wheel, linkage and boots |
| and fuel tank vapor vent system hoses      | Transmission fluid or oil         |
| Additional Maintenance Items for Speci     | al Operating Conditions:*         |
| Inspect nuts and bolts on chassis and b    | ody                               |
| Replace automatic transmission fluid (A    | valon,Camry,                      |
| Camry Solara, Corolla, Sienna)             | -                                 |
| Replace differential oil                   |                                   |
| Replace manual transmission oil            |                                   |

| DEALER SERVICE VERIFICATION | Date:    |
|-----------------------------|----------|
|                             | Mileage: |



Applies to all models with manual transmission and AvalØamy, Camry Solara,Corolla and Sienna models with automatic transmission.

5,000–Mile Maintenance Intervals 7,500–Mile Maintenance Intervals To determine the appropriate maintenance interval for your vehicle, see page 17.



| 37,500 Miles or 30 Months   |                             |       |
|---|-----------------------------|-------|
| Replace engine oil and oil filter<br>Rotate tires (except MR2 Spyder) | DEALER SERVICE VERIFICATION | Date: |

\* Specific services apply to specific operating conditionage pages 18219 for details.



| DEALER SERVICE VERIFICATION | ⊤DDate:  | <br> |
|-----------------------------|----------|------|
|                             | Mileage: | <br> |



<sup>1</sup> Applies to Avalon,

Camry, Camry Solara,

, Corolla and Sienna models with automatic transmission.

5,000–Mile Maintenance Intervals 7,500–Mile Maintenance Intervals To determine the appropriate maintenance interval for your vehicle, see page 17.



|   | 52,500 Miles or 42 Months   |       |
|---|-----------------------------|-------|
| Replace engine oil and oil filter<br>Rotate tires (except MR2 Spyder) | DEALER SERVICE VERIFICATION | Date: |

\* Specific services apply to specific operating conditions. 219 for details.

| 60,000 Miles or   | 48 Months   |
|---|---|
| 60,000 Miles or   | 48 Months   |
| Replace engine air filter<br>Replace engine coolant<br>Replace air conditioning filter (Avalon)<br>Replace platinum spark plugs (Camry<br>Inspect the following:<br>— Ball joints and dust covers<br>— Brake lines and hoses<br>— Brake linings/drums and brake pads/discs<br>— Charcoal canister (Sienna) <sup>2</sup> | Fuel tank cap gasket  |
| Differential oil 3 Drive belts Fuel lines and connections, fuel tank band and fuel tank vapor vent system hoses   | Steering gear box Steering wheel, linkage and boots Transmission fluid or oil |
| Additional Maintenance Items for Speci<br>Inspect nuts and bolts on chassis<br>Replace automatic transmission fl<br>Replace differential oil<br>Replace manual transmission oil   | and body  |

| DEALER SERVIC | E VERIFICATION | Date:    |  |
|---------------|----------------|----------|--|
|               |                | Mileage: |  |



Required under the terms of the Emission Control Warranty

<sup>2</sup> Inspect at 60,000 miles or 72 months, whichever comes first. Required only for vehicles in California, Massachusetts and New Y ork.

<sup>3</sup> Initial inspection at

60,000 miles.

Inspect every 1 5,000 miles thereafter

5,000–Mile Maintenance Intervals 7,500–Mile Maintenance Intervals To determine the appropriate maintenance interval for your vehicle, see page 17.



|   | 5                           |       |
|---|-----------------------------|-------|
| Replace engine oil and oil filter<br>Rotate tires (except MR2 Spyder) | DEALER SERVICE VERIFICATION | Date: |

\* Specific services apply to specific operating conditions. 219 for details.



| DEALER SERVICE VERIFICATION | Date:    |  |
|-----------------------------|----------|--|
|                             | Mileage: |  |



<sup>1</sup> Applies to Avalon,

Camry, Camry Solara,

ara, Corolla and Sienna models with automatic transmission.

5,000–Mile Maintenance Intervals 7,500–Mile Maintenance Intervals To determine the appropriate maintenance interval for your vehicle, see page 17.



| 82,500 Miles or 66 Months         |                             |          |
|-----------------------------------|-----------------------------|----------|
| Replace engine oil and oil filter | DEALER SERVICE VERIFICATION | Date:    |
| Rotate tires (except MR2 Spyder)  |                             | Mileage: |

\* Specific services apply to specific operating conditions. 219 for details.

| 90,000 Mi   | les or 72 Months  |
|---|---|
| 90,000 Miles or 72 Months   |   |
| Replace engine air filter<br>Replace engine coolant<br>Replace air conditioning filte<br>Replace timing belt (Avalon,<br>Inspect the following:<br>Ball joints and dust covers<br>Brake lines and hoses<br>Brake linings/drums and brake pad<br>Differential oil<br>Drive belts<br>Fuel lines and connections, fuel tar<br>and fuel tank vapor vent system bo | Rotate tires (except MR2 Spyder)<br>er (Avalon)<br>, Camry, Camry Solara, Sienna)<br>Drive shaft boots<br>Drive shaft boots<br>Exhaust pipes and mountings<br>ds/discs Fuel tank cap gasket<br>Steering gear box<br>Steering wheel, linkage and boots<br>nk bandTransmission fluid or oil |
| Additional Maintenance Items for<br>Inspect nuts and bolts on ch<br>Replace automatic transmis<br>Camry Solara, Corolla, S<br>Replace differentia <sup>1</sup> oil<br>Replace manual transmissio  | ssion fluid (Avalon, Camry<br>Sienna)   |

| DEALER SERVICE VERIFICATION | Date:    |  |
|-----------------------------|----------|--|
|                             | Mileage: |  |



<sup>1</sup>Applies to all models with manual transmission and Avalon, Camry Camry Solara, Corolla and Sienna models with automatic transmission.

,

5,000–Mile Maintenance Intervals 7,500–Mile Maintenance Intervals To determine the appropriate maintenance interval for your vehicle, see page 17.



| 97,500 Miles or 78 Months   |                             |       |
|---|-----------------------------|-------|
| Replace engine oil and oil filter<br>Rotate tires (except MR2 Spyder) | DEALER SERVICE VERIFICATION | Date: |

\* Specific services apply to specific operating conditions. 219 for details.



| DEALER SERVICE VERIFICATION | Date:    | <br> |
|-----------------------------|----------|------|
|                             | Mileage: | <br> |



Applies to Avalon,

Camry, Camry Solara,

a, Corolla and Sienna models with automatic transmssion.

5,000–Mile Maintenance Intervals 7,500–Mile Maintenance Intervals To determine the appropriate maintenance interval for your vehicle, see page 17.



| 112,500 Miles or 90 Months  |                             |                     |  |
|---|-----------------------------|---------------------|--|
| Replace engine oil and oil filter<br>Rotate tires (except MR2 Spyder) | DEALER SERVICE VERIFICATION | Date: _<br>Mileage: |  |

\* Specific services apply to specific operating conditions.

| 120,000 Miles or  |  |  |
|---|--|--|
| 120,000 Miles or 96 Months  |  |  |
| Replace engine air filter<br>Replace engine coolant<br>Rotate tires (except MR2 Spyder)<br>Replace air conditioning filter (Avalon)<br>Inspect the following:<br>— Ball joints and dust covers<br>— Brake lines and hoses<br>— Brake linings/drums and brake pads/discs<br>— Charcoal canister (Sienna)<br>— Differential oil<br>— Drive belts<br>— Fuel lines and connections, fuel tank band<br>and fuel tank vapor vent system hoses |  |  |

| DEALER SERVICE VERIFICATION | Date:    |
|-----------------------------|----------|
|                             | Mileage: |



<sup>1</sup>Required under the terms of the Emission Control Warranty

2Inspect at 120,000 miles or 144 months, whichever comes first.